4	
Uncla	ıssif
SECURITY	CLASS

	1	
\leftarrow		•

Aυ	-A	245	690

ι	J	Μ	ΙE	N	TA	T	0	N	PA	(GI	ŀ

	II	ENTATION							
1a. REPORT SECI	<u> </u>	16. RESTRICTIVE	MARKINGS						
(u)		_N/A							
2a. SECURITY CLASSIFICATION AUTOMITYET ECT	-	3. DISTRIBUTION	AVAILABILITY OF	REPORT	N				
N/A		Distribut	ion Unlimite	ed	₩ 三				
2b. DECLASSIFICATION / DOWNGR G SHEDU 7	127			-	~==				
N/A 4. PERFORMING ORGANIZATION POST NUMBER(S)		5 44044700446	200111212101101	2007	- ~=				
4. PERFORMING ORGANIZATION NUMBERS		5. MONITORING	DEGANIZATION RE	PORT NUMBER(S	ر. كا الله الله الله الله الله الله الله ا				
#7W 22	1	NT / A			₽				
#7H432 6a. NAME OF PERFORMING ORGANIZATION 6b OF	TICE CYCAROL	N/A 7a. NAME OF MO	W. TO D. L. C. O. C. C.	.3.7:04:	_] =				
1	FICE SYMBOL applicable)	7a. NAME OF MC	DNITORING ORGEN	IZATION					
The onlycroley of mississippi	ı	0661	M 1 D	•	の霊				
Medical Center N/A 6c. ADDRESS (City, State, and ZIP Code)	1		Naval Resea						
Department of Biochemistry			y, State, and ZIP (•					
2500 North State Street			uincy Street n. VA 22217						
Jackson, MS 39216-4505		Allingto	II, VA 2221	-3000					
	5167 6144901	0.000 (1.05)							
	FICE SYMBOL applicable)	9. PROCUREMENT	INSTRUMENT IDE	NTIFICATION NU	MBER				
Office of Naval Research ONI		N00014-87	_V_0297						
8c. ADDRESS (City, State, and ZIP Code)	`								
800 N. Quincy Street	1		UNDING NUMBER		The second second				
Arlington VA 22217-5000		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.				
Allington va 2221/- 3000		61153N	RR0416	441c-028					
11. TITLE (Include Security Classification)		NCCIIO	KK0410	4410-028	1				
The title (include Security Classification)					· i				
Secretory Polypeptides Encoded in I	Balbiani Rin	ng Genes (u)							
12. PERSONAL AUTHOR(S)									
Case, Steven T.									
13a. TYPE OF REPORT 13b. TIME COVERED		14. DATE OF REPO	RT (Year Month	Davi 15 PAGE	COUNT				
Final FROM <u>87/04/1</u>	5 70 92/01/31	92/01/		4					
16. SUPPLEMENTARY NOTATION	•			<u> </u>					
N/A									
\			e if necessary and	identify by bloc	k number)				
17. COSATI CODES 18. S	UBJECT TERMS (C	Continue on revers	e ii iicccaaaiy ark	inclining by biod	nes, secretory polypeptides, tandemly repeated				
	ubject terms (c aryotic gene								
FIELD GROUP SUB-GROUP Euka	aryotic gene	es, secretor	y polypeptio	les, tandem	ly repeated				
FIELD GROUP SUB-GROUP Euka	aryotic gene no acid sequ		y polypeption itro assembl	les, tandem Ly/disassem	ly repeated				
FIELD GROUP SUB-GROUP Euka amin poly	aryotic gene no acid sequ ypeptide fil entify by block n	es, secretor lences, <u>in</u> v pers, protei umber)	y polypeption itro assemble in the incompanie of	les, tandem Ly/disassem nteractions	ly repeated bly of				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th	aryotic gene no acid sequ ypeptide fil entify by block n is projec	es, secretor lences, <u>in</u> <u>v</u> bers, protei umber) et has bee	y polypeption itro assemble in protein in the lea	les, tandem ly/disassem nteractions rn about	ly repeated bly of the .				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of the structure, developmentally	aryotic generated acid sequestide file of the sequestide file of the sequestide file of the sequestide	es, secretor lences, <u>in</u> v bers, protei umber) et has bee synthesi	y polypeption in tro assemble in to lease and as	des, tandem ly/disassem nteractions rn about sembly o	ly repeated bly of the fa				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of the structure, developmentally family of secretory proteins	aryotic generated acid sequence of the sequenc	es, secretor lences, in v bers, protei umber) t has bee synthesi hat are sy	y polypeption in tro assemble in protein in the least and as writhesized	des, tandem ly/disassem nteractions rn about sembly o in sali	ly repeated bly of the f a vary				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a	aryotic general sequence acid sequence file	es, secretor lences, in v bers, protei umber) et has bee synthesis hat are sy led into a	y polypeption in tro assemble in to lease and as ynthesized in insolub	des, tandem ly/disassem nteractions rn about sembly o in sali le biopol	ly repeated bly of the f a vary ymer				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Mo	aryotic generation acid sequence of the project of	es, secretor lences, in v bers, protei umber) t has bee synthesis hat are sy led into a biologica	y polypeption in tro assemble in to lease and as ynthesized and and all and	les, tandem ly/disassem nteractions rn about sembly o in sali le biopol immunolog	ly repeated bly of the f a vary ymer ical				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Mother techniques were used to ascer	aryotic generation acid sequence of the project of	es, secretor lences, in v bers, protei umber) et has bee synthesis hat are sy led into a biologica structure	y polypeption in tro assemble in to leas and as ynthesized in insolubut of two according to the second of two according and and according to the second in t	les, tandem ly/disassem nteractions rn about sembly o in sali- le biopoly immunolog	ly repeated bly of the f a vary ymer ical SPs				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascer and the developmental regulations.	aryotic generated acid sequence of the project of t	es, secretor lences, in v bers, protei umber) et has bee synthesis hat are sy led into a biologica structure he express	y polypeption in the protein in the least and as withesized in insolubility and the least of two action of the least polypeptics.	des, tandem ly/disassem nteractions rn about sembly o in sali- le biopol- immunolog dditional eir genes	ly repeated bly of the f a vary ymer ical SPs				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and identification of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. More techniques were used to ascer and the developmental regulate 185/220-kDal Cys-rich SP here	aryotic general sequence acid sequence file	es, secretor lences, in v bers, protei umber) et has bee synthesis hat are sy led into a biologica structure he express has been	y polypeption in to lead and as ynthesized and and of two action of the identifi	des, tandem ly/disassem nteractions rn about sembly o in sali- le biopol- immunolog dditional eir genes ed in t	the f a vary ymer ical SPs				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and identification of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. More techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP has species of Chironomus.	aryotic general sequence acid sequence file	es, secretor rences, in y bers, protei umber) et has bee synthesis hat are syled into a biological structure re express has been al, bioph	y polypeption in to lead and as ynthesized and of two action of the identification and a sysical are application of the identification and a sysical are asserted.	des, tandem by/disassem by/disassem brown about sembly of in salide biopoly immunological ditional beir genesed in tand elections	ly repeated bly of the f a vary ymer ical SPs A hree				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP he species of Chironomus. In microscopic techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP he species of Chironomus.	aryotic general acid sequences of the se	es, secretor lences, in v bers, protei umber) et has bee synthesis hat are sy led into a biologica structure he express has been al, bioph udy SP dis	y polypeption in assembly as and as ynthesized in insolubular and of two action of the identification assembly/	des, tandem by/disassem by/disassem bractions and salide biopoly immunological bir genesed in tand electreassembly	ly repeated bly of the favary ymer ical SPs Ahree tron				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascer and the developmental regulate 185/220-kDal Cys-rich SP has species of Chironomus. In microscopic techniques were used to and measure the higher	aryotic general sequences are acid sequences for ac	es, secretor lences, in y bers, protein with has been at are synthesis bed into a biological structure are expressional, biophudy SP distructure of the synthesis at a synthesis a	y polypeption in assembly as and as ynthesized and of two action of the identification of 1000-f of 1000-f of 1000-f of 1000-f of 1000-f	des, tandem ly/disassem ly/disassem rn about sembly o in sali- le biopol- immunolog dditional eir genes ed in the ind elec- reassembly	ly repeated bly of the f a vary ymer ical SPs . A hree tron y in and				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. More techniques were used to ascer and the developmental regulat 185/220-kDal Cys-rich SP he species of Chironomus. In microscopic techniques were unvitro and measure the higher their repeated domains in the	aryotic general sequences of acid sequences of the sequen	es, secretor lences, in y bers, protein with the second synthesis at are synthetic express at some al, biophudy SP distructure of synthetic	y polypeption in assembly as and as ynthesized in insolubuland of two action of the identification of the identification of two actions of two actions of two actions of two actions of the identification of the identification of the identification of two actions	des, tandem by/disassem by/disassem by o in salide biopolimmunolog dditional bir genes ed in the ind electrosembly kDal SPs This do	ly repeated bly of the f a vary ymer ical SPs . A hree tron y in and				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascer and the developmental regulate 185/220-kDal Cys-rich SP has species of Chironomus. In microscopic techniques were used to and measure the higher	aryotic general sequences of acid sequences of the sequen	es, secretor lences, in y bers, protein with the second synthesis at are synthetic express at some al, biophudy SP distructure of synthetic	y polypeption in assembly as and as ynthesized in insolubuland of two action of the identification of the identification of two actions of two actions of two actions of two actions of the identification of the identification of the identification of two actions	des, tandem by/disassem by/disassem by o in salide biopolimmunolog dditional bir genes ed in the ind electrosembly kDal SPs This do	ly repeated bly of the f a vary ymer ical SPs . A hree tron y in and				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of th structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. More techniques were used to ascer and the developmental regulat 185/220-kDal Cys-rich SP he species of Chironomus. If species of Chironomus were under the protein structure approach to protein structure.	aryotic general sequences of acid sequences of the sequen	es, secretor rences, in y bers, protei umber) et has bee synthesis hat are syled into a biologica structure express has been al, biophudy SP dis ructure of synthetic nded to in	y polypeptic itro assemble n-protein in to leas and as withesized in insolubil and of two action of the identification of 1000-peptides.	des, tandem by/disassem by/disassem bractions about sembly of in salide biopoly immunolog ditional being genes and electreassembly kDal SPs This do ions.	ly repeated bly of the f a vary ymer ical SPs . A hree tron y in and				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and ide The overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP has species of Chironomus. If microscopic techniques were unvitro and measure the higher their repeated domains in the approach to protein structure.	aryotic general sequence acid sequence of the	es, secretor rences, in y bers, protei umber) et has bee synthesis hat are syled into a biologica structure express has been al, biophudy SP disructure of synthetic nded to in	y polypeption in assembly as and as ynthesized in insolubuland of two action of the identification of the identification of two actions of two actions of two actions of two actions of the identification of the identification of the identification of two actions	des, tandem by/disassem by/disassem bractions about sembly of in salide biopoly immunolog ditional being genes and electreassembly kDal SPs This do ions.	ly repeated bly of the f a vary ymer ical SPs . A hree tron y in and				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and identification of the overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP has species of Chironomus. If microscopic techniques were unvitro and measure the higher their repeated domains in the approach to protein structure. 20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED SAME AS RPT.	aryotic general sequences of acid sequences of the sequen	es, secretor lences, in y bers, protei umber) et has bee synthesis hat are syled into a biological structure express has been al, biophudy SP distructure of synthetic nded to in	y polypeptic itro assemble n-protein in to leas and as ynthesized in insolubul and of two acion of the identification of 1000-peptides. CURITY CLASSIFIC	des, tandem ly/disassem ly/dis	the f a vary ymer ical SPs A hree tron y in and main				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and identification of the overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP has species of Chironomus. If species of Chironomus is microscopic techniques were under their repeated domains in the approach to protein structure work and measure the higher their repeated domains in the approach to protein structure work and measure the higher their repeated domains in the approach to protein structure work as a species of RESPONSIBLE INDIVIDUAL	aryotic general sequence acid sequence of the	es, secretor lences, in y bers, protei umber) et has bee synthesis hat are syled into a biological structure express has been al, biophudy SP distructure of synthetic nded to in [21]. ABSTRACT SE (u)	y polypeptic itro assemble n-protein in en to lea s and as ynthesized in insolub il and of two ac ion of the identification gassembly/ f of 1000- peptides. CURITY CLASSIFIC	des, tandem ly/disassem ly/disassem ly/disassem ly o in salide biopoly immunolog ditional eir genesed in the lectreassembly kDal SPs This do ions. ATION	the f a vary ymer ical SPs A hree tron y in and main				
FIELD GROUP SUB-GROUP Euka amin poly 19 ABSTRACT (Continue on reverse if necessary and identification of the overall goal of the structure, developmentally family of secretory proteins glands of an aquatic insect a of silk-like threads. Most techniques were used to ascert and the developmental regulated 185/220-kDal Cys-rich SP has species of Chironomus. If species of Chironomus and microscopic techniques were under their repeated domains in the approach to protein structure with the protein structure. 20 DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED SAME AS RPT. 22 NAME OF RESPONSIBLE INDIVIDUAL Dr. M. Marron	aryotic general sequence acid sequence of the	es, secretor lences, in y bers, protei umber) et has bee synthesis hat are syled into a biological structure ne express has been al, biophudy SP distructure of synthetic nded to in [21]. ABSTRACT SE (u) [22]. TELEPHONE (202) 696-4	y polypeptic itro assemble n-protein in to leas and as ynthesized in insolubul and of two action of the identification of the identification of the identification of the identification of 1000-peptides. Issect chor	des, tandem ly/disassem ly/dis	the f a vary ymer ical SPs. A hree tron y in and main				

92 2 06 109

This document has been approved for public release and sale; its distribution is unlimited.

Distribution List for Annual and Final Reports

- 1. Put a cover page (Form DD 1473) on your report and attach a copy of the distribution list. Mail one copy of the report to each person on the contractor subset list attached on which your name appears. The other subset list is for your information only. Please don't forget to attach this distribution list to your report otherwise the folks below think they have mistakenly received the copy meant for the Molecular Biology Program and forward it to us.
- 2. Mail two copies to (include a DTIC Form 50 with these two copies too)
 Administrator
 Defense Technical Information Center
 Building 5, Cameron Station
 Alexandria, VA 22314
- 3. Mail one copy to each of the following:
- (a) Dr. Michael Marron
 ONR Code 1141
 Molecular Biology Program
 800 N. Quincy Street
 Arlington, VA 22217-5000
- (b) Administrative Contracting Officer
 ONR Resident Representative
 (address varies see copy of your grant)
- (c) Director,
 Applied Research Directorate
 ONR Code 12
 800 N. Quincy Street
 Arlington, VA 22217-5000
- (d) Director
 Office of Naval Technology
 Code 22
 800 N. Quincy Street
 Arlington, VA 22217-5000

- (e) Director
 Chemical and Biological Sci Div
 Army Research Office
 P. 0. Box 12211
 Research Triangle Park, NC 27709
- (f) Life Sciences Directorate
 Air Force Office of Scientific Research
 Bolling Air Force Base
 Washington, DC 20332
- (g) Director
 Naval Research Laboratory
 Technical Information Div, Code 2627
 Washington, DC 20375

NTIS DTIC	rounded []
By Dist∈ib	ution/
Α	vailability Codes
Dist	Avail a difor Special
A-1	



AMZEL, L. Mario
Department of Biophysics
Johns Hopkins School of Medicine
725 North Wolfe Street
Baltimore, MD 21205

ANDERSEN, Niels H.
Department of Chemistry
University of Washington
Seattle, WA 98195

ARNOLD, Frances H.
Dept of Chemical Engineering
California Institute of Technology
Pasadena, CA 91125

AUGUST, J. Thomas Department of Pharmacology Johns Hopkins Medical School 725 North Wolfe Street Baltimore, MD 21205

BEVERIDGE, David L Department of Chemistry Wesleyan University Hall-Altwater Laboratories Middletown, CT 06457

BRAMSON, H. Neal
Department of Biochemistry
Univ of Rochester Medical Center
601 Elmwood Avenue
Rochester, NY 14642

BRUICE, Thomas C.
Department of Chemistry
University of California-Santa
Barbara
Santa Barbara, CA 93106

CASE, Steven T.
Department of Biochemistry
Univ of Mississippi Medical Center
2500 North State Street
Jackson, MS 39216-4505

CHANG, Eddie L.
Bio/Molecular Engineering
Naval Research Laboratory
Code 6190
Washington, D.C. 20375-5000

CHRISTIANSON, David W. Department of Chemistry University of Pennsylvania 231 South 34th Street Philadelphia, PA 19104-6323

CORDINGLEY, John S.
Department of Molecular Biology
University of Wyoming
Box 3944 University Station
Laramie, WY 82071

DeGRADO, William F.
E. I. du Pont de Nemours & Co
Central R & D, Experimental Station
P. O. Box 80328
Wilmington, DE 19880-0328

EVANS, David R.
Department of Biochemistry
Wayne State Univ School of Medicine
540 E. Canfield Street
Detroit, Michigan 48201

FEIGON, Juli F.
Department of Chem & Biochemistry
UCLA
405 Hilgard Avenue
Los Angeles, CA 900024-1569

FICHT, Allison R.
Dept of Med Biochem & Genetics
Texas A&M University
College Station, TX 77843

FRAUENFELDER, Hans Department of Physics University of Illinois Urbana, IL 61801

GABER, Bruce Naval Research Laboratory Bio/Molecular Engineering Branch Code 6190 Washington, DC 20375

GETZOFF, Elizabeth D.
Scripps Clinic & Research Foundation
Department of Molecular Biology
10666 North Torrey Pines Road
La Jolla, CA 92037

GOODMAN, Eugene M.
Biomedical Research Institute
University of Wisconsin
P. O. Box 2000
Kenosha, WI 53141

HO, Pui Shing
Department of Biochemistry and
Biophysics
Oregon State University
Corvallis, OR 97331

HOGAN, Michael E. Baylor Center for Biotechnology 4000 Research Forest Drive The Woodlands, TX 77381

HCNIG, Barry Columbia University Dept of Biochem and Molec Biophys 630 West 168th St. New York, NY 10032

HOPKINS, Paul 3.
Department of Chemistry
University of Washington
Seattle, WA 98195

KAHNE, Daniel
Department of Chemistry
Princeton University
Princeton, NJ 08544

KEMP, Robert G.
Chicago Medical School
Dept of Biological Chemistry
3333 Green Bay Rd.
North Chicago, IL 60064

KHORANA, Gobind H.
Department of Biology
MIT
77 Massachusetts Ave.
Cambridge, MA 02139

KIM, Sangtae Chemical Engineering University of Wisconsin 1415 Johnson Drive Madison, WI 53706

LANSBURY, Peter T.
Department of Chemistry
MIT
Cambridge, MA 02139

LAURSEN, Richard A. Chemistry Department Boston University 590 Commonwealth Avenue Boston, MA 02215

LENZ, Robert W.
Chemical Engineering Department
University of Massachusetts
Amherst, MA 01003

LEWIS, Randolf V.
Molecular Biology Department
University of Wyoming
University Station Box 3944
Laramie. WY 82071

LINDSAY, Stuart M.
Department of Physics
Arizona State University
Temp, AZ 85278

LOEB, George I. David W. Taylor Research Center Code 2841 Annapolis, MD 21402-5067

MASILAMANI, Divakar Biotechnology Department Allied-Signal Inc. P. O. Box 1021R Morristown, NJ 07960

McCONNELL, Harden M. Stanford University Department of Chemistry Stanford, CA 94305

McELROY, Willam D.
Department of Chemistry
University of California - San Diego
La Jolla, CA 92093-0601

MERTES, Kristin Bowman University of Kansas Dept of Chemistry Lawrence, Kansas 66045

NAGUMO, Mark
Bio/Molecular Engineering Branch
Naval Research Laboratory
Code 6190
Washington, DC 20375-5000

OLIVERA, Baldomero M. Department of Biology University of Utah Salt Lake City, UT 84112

PABO, Carl O.
Department of Biophysics
Johns Hopkins University
School of Medicine
Baltimore, MD 21205

PRENDERGAST, Franklyn G.
Dept of Biochemistry & Molec Biol
Mayo Foundation
200 First St. SW
Rochester, MN 55905

PUGH, Jr., Edward N.
Deaprement of Psychology
University of Pennsylvania
3815 Walnut Street
Philadelphia, PA 19104-6196

RACKOVSKY, Shalom R.
Department of Biophysics
University of Rochester
School of Medicine and Dentistry
Rochester, NY 14642

RAJAN, K. S. Illinois Institute of Technology Research Institute 10 W. 35th St. Chicago, IL 60616

REINISCH, Lou Laser Biophysics Center Uniformed Services University 4301 Jones Bridge Road Bethesda, MD 20814

RICH, Alexander MIT Department of Biology Cambridge, MA 02139

RICHARDS, J. H.
California Institute of Technology
Division of Chemistry and Chemical
Engineering
Pasadena, CA 91125

ROTHSCHILD, Kenneth J. Department of Physics Boston University 590 Commonwealth Avenue Boston, MA 02215

SCHULTZ, Peter G.
Department of Chemistry
- University of California-Berkeley
Bekeley, CA 94720

SEEMAN, Nadrian
Department of Chemistry
New York University
New York, NY 10003

SELSTED, Michael E. UCLA Dept of Medicine 37-055 CHS Los Angeles, CA 90024

SIGMAN, David S.
UCLA School of Medicine
Dept of Biological Chemistry
Los Angeles, CA 90024
SIKES, Steven C.
Department of Biological Sciences
University of South Alabama
Mobile, AL 36688

SINSKEY, Anthony J. Laboratory of Applied Microbiology MIT Department of Biology Cambridge, MA 02139

STEWART, James M. Department of Chemistry University of Maryland College Park, MD 20742

STEWART, John M.
Department of Biochemistry
University of Colorado
Health Science Center
Denver, CO 80262

TURNER, Douglas H.
Department of Chemistry
University of Rochester
Rochester, NY 14627

URRY, Dan W.
Laboratory of Molecular Biophysics
University of Alabama
P. O. Box 311
Birmingham, AL 35294

WAITE, J. Herbert College of Marine Studies University of Deleware Lewes, DE 19958

WARD, Keith B.
Naval Research Laboratory
Code 6030
Washington, DC 20375

WARSHEL, Arieh
Department of Chemistry
University of Southern California
University Park
Los Angeles, CA 90089-0482

WATT, Gerald D.
Dept of Chemistry & Biochemistry
University of Colorado
Campus Box 215
Boulder, CO 80309-0215

FINAL REPORT

GRANT#: NOOO14-87-K-0387 R&T CODE: 441c-028

PRINCIPAL INVESTIGATOR: Dr. Steven T. Case

INSTITUTION: The University of Mississippi Medical Center

<u>GRANT TITLE:</u> Secretory Polypeptides Encoded in Balbiani Ring Genes

PERIOD OF PERFORMANCE 15 APR 1987 - 31 JAN 1992

OBJECTIVE: To learn about the structure, developmentally regulated synthesis and assembly of a family of secretory proteins (SPs) that are synthesized in salivary glands of an aquatic insect and assembled into an insoluble biopolymer of silk-like threads.

ACCOMPLISHMENTS (All Years):

- [1] Primary structure of SPs/expression of their genes.
- (a) We determined that the primary sequence of two additional SPs (sp140 and sp185) consists of repeated motifs. We also studied the developmentally regulated expression of their genes. A third putative SP-coding cDNA was studied in detail, but we were unable to unambiguously identify the protein encoded by the 4.8-kb mRNA. These studies led to extensive use and characterization of multiple antigenic peptides for antibody production.
- (b) Antipeptide antibodies were used to search for conserved and diverged epitopes in SPs from different species of Chironomus. The only conserved epitope found was on sp185 from C. tentans and C. pallidivittatus and sp220 in C. thummi. Amino acid analyses, performed by J.H. Waite, indicates that all three proteins are very similar in composition, particularly in their high (about 17%) content of Cys. Oligonucleotides from C. tentans have selected cDNA clones for future analysis from libraries of the other two species.
- (c) A cDNA expression library was made to clone the cDNA for a "special secretory protein (ssp160) found in only four cells of <u>Chironomus thummi</u> salivary glands. To screen the library, a polyclonal antibody was raised against gel-purified ssp160. While the specificity of the antibody was demonstrated on Western blots, we were unable to select any clones. Controls have since shown that the ssp160 antibody reacts primarily with N-linked sugars, a post-translational modification of proteins that bacteria

fail to make. Future selection of this SP-encoding cDNA clone will require alternate strategies.

[2] Higher order structure and assembly of SPs

- (a) We demonstrated that SPs exist <u>in vivo</u> as dissociable supermolecular complexes (fibrils and beaded fibers) that may be intermediates in the pathway for their assembly into insoluble silk. These complexes are stabilized by electrostatic interactions and disulfide bonds. We described the first assay for <u>Chironomus</u> SP disassembly/reassembly <u>in vitro</u> and showed that spIs, the 1000-kDa SPs, are the fibrous backbone of larval silk.
- (b) Circular dichroism (CD) and Fourier transform infrared (FTIR) spectroscopy were used to ascertain the structure of synthetic peptides that correspond to alternating "subrepeat" (SR) and "constant" (C) domains of tandem core repeats within spIa, one of the 1000-kDal SPs. SR peptide is mainly composed of poly(Gly)II-helix while C peptide is mainly α -helical; both are punctuated with β -turns. Thus far, we have failed to obtain either crystals or laser Raman spectra of these peptides.
- (c) Conditions have been found whereby fully reduced C peptide, which contains four Cys residues, can associate <u>in vitro</u>. One aggregated form is a fully reducible dimer apparently devoid of free sulfhydryls. In contrast, we found a non-reducible form which is the by-product of one of the steps used for purification of C peptide. This latter form is multimeric (dimer through tetramer) and apparently stabilized by a covalent bond(s). The nature of this bond(s) has not been determined. Under no circumstances have either C or SR peptides aggregated into supermolecular complexes resembling those formed by spIs <u>in vitro</u>. These data suggest that the minimum unit for assembly <u>in vitro</u> must be at least a [C+SR] monomer.
- (d) During the performance of this contract we learned that synthetic peptides can provide substrates of superior purity for biochemical and biophysical studies of protein domains, especially imperfect tandem repeats. We gained considerable experience in peptide synthesis and analysis by CD and FTIR spectroscopy and comparing such data to that obtained for the cognate protein from which the peptides were derived. We applied this experience to a related biopolymer. In collaboration with Dr. Stavros Hamodrakas at the University of Athens, we used this approach to study the structure of repeated domains in egg-shell chorion from silk moths and lepidopterans. In contrast to Chironomus SPs, the structure of these peptides and proteins is mainly β -sheet.

SIGNIFICANCE:


- [1] Identification of additional SPs brings us closer to describing all members of this novel protein family that can assemble into insoluble silk. Their developmentally regulated synthesis suggests that while larval and prepupal silks look similar, their composition and, perhaps, physical properties are different. Sequence comparisons of repeats within SPs and homologous proteins in related species help to pinpoint conserved sites that may be crucial for intraprotein and protein-protein interactions. It's becoming apparent that SPs represent a completely novel class of structural proteins.
- [2] The structural studies of C and SR peptides suggest that spIs have a unique structure: they are 1000-kDa fibrous proteins comprised of alternating domains of $\alpha\text{-helix}$ and poly(Gly)II helix. This structure would result in a biopolymer with a unique alternation of contrasting physical properties such as flexibility, extensibility, elasticity and strength. The inability of C and SR peptides to form supermolecular aggregates suggests that neither contain the minimum structural information required for assembly of fibers. However, under certain conditions, C peptide does have the intrinsic property to form reducible and non-reducible multimeric units. This may prove useful for designing a hybrid self-assemblying biomaterial.

<u>PUBLICATIONS (All Years):</u>

- Dignam, S.D., Yang, L., Lezzi, M. and Case, S.T.
 Identification of a developmentally regulated gene for
 a 140-kDa secretory protein in salivary glands of
 <u>Chironomus tentans</u> larvae. J. Biol. Chem. <u>264</u>:9444-9452
 (1989).
- Wellman, S.E. and Case, S.T. Disassembly and reassembly in vitro of complexes of secretory proteins from Chironomus tentans salivary glands. J. Biol. Chem. 264:10878-10883 (1989).
- 3. Dignam, S.S. and Case, S.T. Balbiani ring 3 in Chironomus tentans encodes a a 185-kDal secretory protein which is expressed throughout the fourth larval instar. Gene 88:133-140 (1990).
- 4. Case, S.T., Wellman, S.E. and Hamodrakas, S. Assembly characteristics and structural motifs in an aquatic insect's biopolymer. Mater. Res. Soc. Symp. Proc. 218:233-237 (1991).

N00014-87-K-0387 / Steven T. Case

- 5. Case, S.T. and Wieslander, L. Secretory proteins of <u>Chironomus</u> salivary glands: structural motifs and assembly characteristics of a novel biopolymer. Res. Prob. Cell Diff. (in press, 1992).
- 6. Wellman, S.E., Hamodrakas, S.J., Kamitosis, E., and Case, S.T. Secondary structure of synthetic peptides derived from the repeating unit of a giant secretory protein from <u>Chironomus</u> <u>tentans</u>. (submitted, revision under review).
- 7. Brumley, L.L., Hong, A.L. and Case, S.T. Immunochemical identification of uncharacterized proteins using multiple antigenic peptides for antibody production. (manuscript in prepartion).
- 8. Brumley, L.L., Bogachev, S.S., Kolesnikov, N.N. and Case, S.T. Conserved and diverged epitopes among secretory proteins from <u>Chironomus</u> salivary glands. (manuscript in preparation).
- 9. Hamodrakas, S.J., Ottensmeyer, F.P., Wellman, S.E. and Case, S.T. Solution structure and assembly of silkmoth chorion proteins. (manuscript in preparation).
- 10. Hamodrakas, S.J., Orfanidou, C. Ottensmeyer, F.P., Wellman, S.E. and Case, S.T. Structural studies of the in vitro reconstitution of chorion proteins from the lepidopterans, Manduca sexta and Sesamia nonagrioides. (manuscript in preparation).



ACCOMPLISHMENTS

- structure of additional SPs obtained by cDNA cloning; expression of genes studied
- amcng all SPs studied, only one epitope is conserved among three species
- developed an assay for disassembly/reassembly of SPs and purifed spIs
- higher order structure of repeated domains obtained from model synthetic peptides

OBJECTIVES

Assembly of Secretory Proteins (SPs) into Insoluble Biopolymers

- Learn primary structure of SPs by cloning and sequencing cDNA
- Study secondary structure and assembly characteristics in <u>vitro</u>
- Use synthetic peptides as model domains for in vitro assembly
- Compare SPs in other species

SIGNIFICANCE

- additional members of SP family chracterized
- conserved doamins suggest potential sites for protein interaction identified
- spIs are novel class of structual proteins with alternating $\alpha\text{-helices}$ and poly(Gly)II helices
- neither C nor SR peptides form supermolecular aggregates; thus assembly in vitro must require at least one [C+SR] core repeat